Index

#

#define, 89, 496
#include, 604

$

$HOME/.Xdefaults, 666
$HOME/.Xdefaults-*name*, 666

/

/etc/X?.hosts, 282

<

<stdio.h>, 654
<X11/cursorfont.h>, 5
<X11/keysym.h>, 6, 384
<X11/keysymdef.h>, 5, 6, 384, 575
<X11/X.h>, 3, 4, 190, 288, 292
<X11/X10.h>, 6, 667
<X11/Xatom.h>, 5, 89, 246, 496, 541
<X11/Xcms.h>, 5, 112
<X11/Xlib.h>, 4, 5, 6, 13, 112, 289, 494, 594, 623, 636, 638
<X11/Xlibint.h>, 6, 621, 641, 642, 645
<X11/Xproto.h>, 6, 313, 352, 642, 643, 644, 646
<X11/Xprotostr.h>, 6
<X11/Xresource.h>, 5, 547
<X11/Xutil.h>, 5, 514, 517, 523, 529, 581, 582, 591, 596, 605, 658

A

Above, 65, 66, 325
Access control list, 282, **673**
Active grab, **357**, **673**
AllHints, 514
AllocAll, 121, 122, 123, 135, 543
Allocation:
  colormap, 127
  read-only colormap cells, 127, 128, 129
  read/write colormap cells, 131
  read/write colormap planes, 132
AllocNamedColor, 351
AllocNone, 121, 122
AllowEvents, 373
AllowExposures, 279, 281
AllPlanes, **14**, 191
AllTemporary, 278
AlreadyGrabbed, 361, 367
Always, 30, 51, 52, 75, 84, 311
Ancestors, **673**
AnyButton, 362, 364, 365
AnyKey, 367, 369, 370
AnyModifier, 362, 364, 365, 367, 369, 370
AnyPropertyType, 95, 97
ArcChord, 196, 215, 238
ArcPieSlice, 190, 196, 215, 238
Arcs:
  drawing, 229
  filling, 236
Areas:
  clearing, 217
  copying, 219
AsyncBoth, 370
AsyncKeyboard, 370, 372
AsyncPointer, 370, 372
Atom, 89
  predefined, 89
  interning, 91, 92
  getting name, 93, 94
Atom, 472
  predefined, 496
Atom, 502, 643, 646, **673**
Authentication, 282
AutoRepeatModeDefault, 378
AutoRepeatModeOff, 378, 379
AutoRepeatModeOn, 378, 379

B

B16, 643
B32, 643
Background, **673**
Backing store, **673**
BadAccess, 76, 135, 136, 137, 138, 139, 283, 284, 285, 286, 287, **352**, 364, 369
BadAlloc, 57, 59, 92, 93, 100, 106, 107, 108, 110, 122, 123, 197, 198, 202, 203, 204, 205, 207, 211, 212, 213, 215, 216, 244, 245, **352**, 390, 393, 508, 511, 513, 517, 519, 521, 524, 525, 526, 528, 530, 534, 535, 536, 544, 589, 590, 601, 603, 604, 657, 658, 659, 661, 663
BadAtom, 94, 98, 100, 101, 103, 104, **352**, 354, 408, 409, 459, 462, 472, 508, 509, 521, 522, 544, 545, 661, 662, 663

BadColor, 57, 76, 79, 123, 124, 125, 128, 129, 131, 132, 134, 135, 136, 137, 139, 140, 141, 142, 274, 275, **352**, 354, 459, 462, 472
BadCursor, 57, 76, 79, 111, **352**, 354, 361, 362, 364, 462, 473
BadDrawable, 85, 86, 106, 110, 197, 208, 209, 210, 221, 223, 225, 228, 229, 232, 234, 236, 238, 258, 259, 262, 265, 267, 269, **352**, 354, 601, 602, 603, 663
BadFont, 108, 197, 198, 212, 246, 255, 257, 258, 351, **352**, 354, 428
BadGC, 34, 198, 200, 202, 203, 204, 205, 207, 211, 212, 213, 215, 216, 221, 223, 225, 228, 229, 232, 234, 236, 238, 255, 258, 259, 262, 265, 269, **352**, 354, 601, 603, 604
BadIDChoice, **352**
BadImplementation, 352, **353**
BadLength, 352, **353**, 392, 642
BadMatch, 45, 48, 49, 50, 53, 57, 58, 59, 65, 67, 74, 76, 77, 78, 79, 100, 101, 109, 121, 122, 194, 195, 197, 198, 208, 209, 210, 211, 213, 214, 215, 218, 219, 220, 221, 222, 223, 225, 228, 229, 232, 234, 236, 238, 258, 259, 262, 265, 266, 267, 269, 271, 272, 273, 352, **353**, 375, 377, 378, 500, 591, 602, 603
BadName, 139, 244, 351, 352, **353**
BadPixmap, 57, 76, 77, 78, 106, 110, 197, 198, 211, 213, 352, **353**, 354, 459, 462, 473
BadRequest, 352, **353**
BadValue, 35, 55, 57, 59, 64, 67, 68, 69, 72, 76, 92, 93, 97, 98, 100, 105, 106, 107, 108, 122, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 195, 197, 198, 202, 203, 205, 206, 207, 208, 215, 216, 218, 222, 223, 225, 228, 236, 265, 267, 269, 272, 276, 279, 280, 283, 284, 285, 286, 348, 352, **353**, 361, 362, 364, 365, 367, 369, 370, 373, 375, 377, 378, 380, 381, 382, 383, 387, 388, 389, 390, 392, 393, 500, 508, 603
BadWindow, 57, 59, 60, 62, 63, 64, 67, 68, 69, 70, 71, 72, 73, 74, 76, 77, 78, 79, 80, 82, 85, 88, 89, 98, 100, 101, 103, 104, 122, 218, 219, 272, 273, 276, 334, 348, 349, 352, **353**, 354, 361, 364, 365, 367, 369, 370, 374, 375, 459, 462, 466, 500, 508, 509, 511, 512, 513, 514, 517, 519, 520, 521, 522, 524, 525, 526, 527, 528, 529, 530, 531, 534, 535, 536, 544, 545, 657, 658, 659, 660, 661, 662, 663
Base font name, **673**
Below, 65, 66
Bit:
  gravity, **674**
  plane, **674**
Bitmap, 3, **674**
BitmapBitOrder, **25**
BitmapFileInvalid, 600
BitmapNoMemory, 600, 602
BitmapOpenFailed, 600, 602
BitmapPad, **26**
BitmapSuccess, 600, 602
BitmapUnit, **25**
BlackPixel, **14**
BlackPixelOfScreen, **28**
Bool, **6**, 291, 342, 344, 458, 629
Border, **674**
BottomIf, 65, 66, 67
Button:
  grabbing, 362
  ungrabbing, 364
  grabbing, **674**
Button1, 299, 300
Button1Mask, 299, 300, 302
Button1Motion, 53
Button1MotionMask, 292, 296, 300, 358
Button2, 299, 300
Button2Mask, 299, 300, 302
Button2Motion, 53
Button2MotionMask, 292, 300, 358
Button3, 300
Button3Mask, 299, 300, 302
Button3Motion, 53
Button3MotionMask, 292, 300, 358
Button4, 300
Button4Mask, 299, 300, 302
Button4Motion, 53
Button4MotionMask, 292, 300, 358
Button5, 300
Button5Mask, 299, 300, 302
Button5Motion, 53
Button5MotionMask, 292, 296, 300, 358
ButtonMotion, 53
ButtonMotionMask, 292, 293, 297, 358
ButtonPress, 53, 289, 293, **296**, 304, 334, 364, 370
ButtonPressMask, 76, 292, 293, 296, 334, 358
ButtonRelease, 53, 289, **296**, 304, 370
ButtonReleaseMask, 292, 296, 358
Byte:
  order, **674**

C

CallbackPrototype, **476**
calloc, 652
CapButt, 190, 193, 204
CapNotLast, 193, 204
CapProjecting, 193, 204
CapRound, 193, 204
CARD16, 654

CARD32, 654
CCC, 120
  of colormap, 120
  default, 121
  of colormap, 142
  default, 143
  of colormap, 143
  default, 144
  creation, 148
  freeing, 150
CellsOfScreen, **28**
CenterGravity, 50, 84
Changing:
  pointer grab, 361
char, 94, 97, 100, 654
Character, **675**
Character glyph, **675**
Character set, **675**
Charset, **675**
CharSetEncoding, 415, 673, 678
CharSetRegistry, 415, 673, 678
Child window, 2
Child Window, 81
Children, **675**
Chroma, 171
  maximum, 171
Chroma, 173
  maximum, 173
Chroma, 174
  maximum, 174
CIE metric lightness, 163, 164
  maximum, 164
CIE metric lightness, 165
  maximum, 165
CIE metric lightness, 166
  minimum, 166
CIE metric lightness, 167, 168
  maximum, 168
CIE metric lightness, 169
  maximum, 169
CIE metric lightness, 170
  minimum, 170
CirculateNotify, 72, 289, 293, 300, **314**, 322
CirculateRequest, 72, 289, 323, **324**, 334
Class, **675**
Clearing:
  areas, 217
  windows, 218
Client, **676**
Client White Point, 120
  of Color Conversion Context, 146
ClientMessage, 90, 289, 292, **328**, 499
ClientWhitePointOfCCC, **145**
ClipByChildren, 190, 196, 215, 218
Clipping region, **676**
Coded character, **676**
Coded character set, **676**
Codepoint, **676**
Color, 114
  naming, 123, 124, 125
  allocation, 127, 128
  naming, 128
  allocation, 129
  naming, 129
  allocation, 131, 132
  deallocation, 134
  storing, 135, 136, 137
  naming, 139
  storing, 139
  querying, 140, 141
  conversion, 150
Color Characterization Data, 185
Color conversion, 150
Color Conversion Context, 120
  creation, 120
  of colormap, 120
  default, 121
  creation, 142
  of colormap, 142
  default, 143
  of colormap, 143
  default, 144
  creation, 148
  freeing, 150
Color map, 113, 127
Colormap, 3, 34, 36
  CCC of, 143
Colormap, 472, 643, **676**
ColormapChangeMask, 292, 327
ColormapInstalled, 328
ColormapNotify, 75, 123, 274, 275, 289, **327**
Colormaps:
  standard, 541
ColormapUninstalled, 328
Complex, 235
ConfigureNotify, 65, 289, 293, 300, 314, **315**, 322
ConfigureRequest, 4, 65, 67, 68, 69, 70, 71, 74, 289, 323, **324**, 325, 334
ConfigureRequestEvent, 500
ConfigureWindow, 325, 500
Connection, **677**
ConnectionNumber, **15**
Containment, **677**
Control, 392
ControlMask, 299, 300, 302, 358, 365
ConvertSelection, 331

Convex, 235
Coordinate system, **677**
CoordModeOrigin, 224, 225, 226, 227, 235
CoordModePrevious, 224, 225, 226, 227, 235
CopyArea, 223
CopyFromParent, 47, 49, 50, 53, 55, 75, 78
Copying:
  areas, 219
  planes, 221
CreateNotify, 57, 58, 289, 293, 314, **316**, 317
CurrentTime, 102, 103, 293, 331, 332, 349, **358**, 361, 365, 367, 370, 374, 691
Cursor, 3, 34, 36
  Initial State, 57
  limitations, 110
Cursor, 473, 643, **677**
CursorShape, 208
Cut Buffers, 588
CWBackingPixel, 46
CWBackingPlanes, 46
CWBackingStore, 46
CWBackPixel, 46
CWBackPixmap, 46
CWBitGravity, 46
CWBorderPixel, 46
CWBorderPixmap, 46
CWBorderWidth, 64
CWColormap, 46
CWCursor, 46
CWDontPropagate, 46
CWEventMask, 46
CWHeight, 64
CWOverrideRedirect, 46
CWSaveUnder, 46
CWSibling, 64
CWStackMode, 64
CWWidth, 64
CWWinGravity, 46
CWX, 64
CWY, 64

D

Data, 647, 652
Data16, 647
Data32, 647
Debugging:
  synchronous mode, 350
  error event, 351
  error handlers, 351
  error numbers, 352
  error message strings, 354
Default Protection, 282
DefaultBlanking, 279, 281
DefaultColormap, **15**, 113
DefaultColormapOfScreen, **28**
DefaultDepth, **16**
DefaultDepthOfScreen, **29**
DefaultExposures, 279, 281
DefaultGC, **17**
DefaultGCOfScreen, **29**
DefaultRootWindow, **17**
DefaultScreen, 12, 13, **18**
DefaultScreenOfDisplay, **17**
DefaultVisual, **18**, 113
DefaultVisualOfScreen, **29**
Depth, **677**
Destination, **190**
DestroyAll, 34, 35, 36
DestroyCallback, **457**, **478**
DestroyNotify, 59, 60, 289, 293, 314, **317**
Device, **677**
Device Color Characterization, 183
Device profile, 120, 185
DirectColor, 43, 44, 113, 122, 132, 133, 542, **677**, 691
DisableAccess, 286
Display, 12, 13
  data structure, 13
Display, 14, 34, 392, 636, 638, 639, 646, 648, **678**
  structure, 678
Display, 688
  structure, 688
Display Functions, **190**
DisplayCells, **19**
DisplayHeight, **26**
DisplayHeightMM, **26**
DisplayOfCCC, **144**
DisplayOfScreen, **30**
DisplayPlanes, **19**
DisplayString, **19**
DisplayWidth, **27**
DisplayWidthMM, **27**
DoBlue, 114, 124, 135, 136, 137, 138, 139, 140, 141
DoesBackingStore, **30**
DoesSaveUnders, **30**
DoGreen, 114, 124, 135, 136, 137, 138, 139, 140, 141
DontAllowExposures, 279, 281
DontPreferBlanking, 279, 281
DoRed, 114, 124, 135, 136, 137, 138, 139, 140, 141
Drawable, 3, 643, 646, **678**

Drawing:
points, 224
lines, 225
polygons, 225
rectangles, 228
arcs, 229
text items, 256
strings, 258
image text, 259

E

EastGravity, 50, 84
EnableAccess, 286
Encoding, **678**
EnterNotify, 289, **300**, 301, 302, 303, 304, 306, 310, 322, 361
EnterWindowMask, 292, 301, 358
Environment:
DISPLAY, 11
Error:
handling, 4
handlers, 351
codes, 352
Escapement, **678**
EvenOddRule, 190, 196, 207, 582
Event, 3, 288
categories, 288
types, 288
propagation, 334
Event, **679**
Exposure, **679**
mask, **679**
propagation, **679**
source, **679**
synchronization, **679**
Event mask, **292**
EventMaskOfScreen, **31**
Events:
ButtonPress, 296
ButtonRelease, 296
KeyPress, 296
KeyRelease, 296
MotionNotify, 296
EnterNotify, 300
LeaveNotify, 300
FocusIn, 305
FocusOut, 305
KeymapNotify, 310
Expose, 311
GraphicsExpose, 312
NoExpose, 312
CirculateNotify, 314
ConfigureNotify, 315
CreateNotify, 316
DestroyNotify, 317
GravityNotify, 318
MapNotify, 319
MappingNotify, 319
ReparentNotify, 320
UnmapNotify, 321
VisibilityNotify, 322
CirculateRequest, 324
ConfigureRequest, 324
MapRequest, 325
ResizeRequest, 326
ColormapNotify, 327
ClientMessage, 328
PropertyNotify, 329
SelectionClear, 330
SelectionRequest, 330
SelectionNotify, 331
Expose, 3, 4, 46, 49, 51, 52, 59, 60, 61, 62, 63, 64, 67, 68, 69, 70, 71, 217, 218, 271, 280, 289, 300, 306, **311**, 312, 322
ExposureMask, 292, 312
Extension, **680**

F

False, **6**, 30, 39, 47, 52, 53, 61, 65, 67, 68, 69, 70, 71, 74, 84, 85, 87, 88, 92, 137, 150, 219, 246, 292, 295, 299, 302, 325, 326, 328, 335, 338, 340, 343, 344, 345, 346, 347, 350, 359, 366, 395, 406, 421, 452, 453, 458, 490, 515, 516, 561, 562, 563, 568, 622, 630, 632, 648, 649
FamilyChaos, 283
FamilyDECnet, 283
FamilyInternet, 283
FamilyInternet6, 283
Files:
<X11/X.h>, 3, 4
<X11/Xlib.h>, 4
<X11/Xatom.h>, 5
<X11/Xcms.h>, 5
<X11/Xlib.h>, 5
<X11/Xresource.h>, 5
<X11/Xutil.h>, 5
<X11/cursorfont.h>, 5
<X11/keysymdef.h>, 5
<X11/X10.h>, 6
<X11/Xlib.h>, 6
<X11/Xlibint.h>, 6
<X11/Xproto.h>, 6
<X11/Xprotostr.h>, 6
<X11/keysym.h>, 6

<X11/keysymdef.h>, 6
<X11/Xlib.h>, 13
<X11/Xatom.h>, 89
<X11/Xcms.h>, 112
<X11/Xlib.h>, 112
<X11/X.h>, 190
<X11/Xatom.h>, 246
/etc/X?.hosts, 282
<X11/X.h>, 288
<X11/Xlib.h>, 289
<X11/X.h>, 292
<X11/Xproto.h>, 313, 352
<X11/keysym.h>, 384
<X11/keysymdef.h>, 384
<X11/Xlib.h>, 494
<X11/Xatom.h>, 496
<X11/Xutil.h>, 514, 517, 523, 529
<X11/Xatom.h>, 541
<X11/Xresource.h>, 547
<X11/keysymdef.h>, 575
<X11/Xutil.h>, 581, 582, 591
<X11/Xlib.h>, 594
<X11/Xutil.h>, 596, 605
<X11/Xlibint.h>, 621
<X11/Xlib.h>, 623, 636, 638
<X11/Xlibint.h>, 641, 642
<X11/Xproto.h>, 642, 643, 644
<X11/Xlibint.h>, 645
<X11/Xproto.h>, 646
<stdio.h>, 654
<X11/Xutil.h>, 658
$HOME/.Xdefaults, 666
<X11/X10.h>, 667
Filling:
rectangles, 233
polygon, 234
arcs, 236
FillOpaqueStippled, 194, 195, 207, 223
FillPolygon, 234
FillSolid, 190, 195, 207, 262
FillStippled, 194, 195, 207
FillTiled, 195, 207
FlushGC, **639**, 641
FocusChangeMask, 292, 305
FocusIn, 289, **305**, 306, 307, 308, 309, 310, 366, 367, 375
FocusOut, 289, 300, **305**, 306, 307, 308, 309, 310, 322, 366, 367, 375
Font, 3
font, 10
Font, 34, 36, 238, 643, **680**
Font glyph, **680**
FontLeftToRight, 241, 250, 251, 253
FontRightToLeft, 241, 250, 251, 253
Fonts:
freeing font information, 243
getting information, 243
unloading, 243
Fonts, 669
Forget, 51
ForgetGravity, 47, 50, 51, 84
fork, 20
free, 652
Freeing:
resources, 45, 77, 78
colors, 134
Frozen events, **680**
Function set, 183
LINEAR_RGB, 183

G

Gamut compression, 120
client data, 146
procedure, 146
setting in Color Conversion Context, 146
Gamut handling, 120
Gamut querying, 159
GC, 636, **680**
GCArcMode, 188, 199
GCBackground, 188, 199
GCCapStyle, 188, 199
GCClipMask, 188, 199
GCClipXOrigin, 188, 199
GCClipYOrigin, 188
GCCLipYOrigin, 199
GCDashList, 188, 199
GCDashOffset, 188, 199
GCFillRule, 188, 199
GCFillStyle, 188, 199
GCFont, 188, 199
GCForeground, 188, 199
GCFunction, 188, 199
GCGraphicsExposures, 188, 199
GCJoinStyle, 188, 199
GCLineStyle, 188, 199
GCLineWidth, 188, 199
GContext, 3, 34, 36, 200, 244, 245, 253, 352, 643
GCPlaneMask, 188, 199
GCStipple, 188, 199
GCSubwindowMode, 188, 199
GCTile, 188, 199
GCTileStipXOrigin, 188, 199
GCTileStipYOrigin, 188, 199
GeometryCallback, **477**
GetEmptyReq, 645, 646

GetKeyboardControl, 644, 648
GetReq, 645, 646, 652
GetReqExtra, 645, 646
GetResReq, 645, 646
GetWindowAttributes, 644, 648, 649
Glyph, **680**
Glyph image, **680**
Grab, **680**
Grabbing:
  server, 277
  pointer, 358
  buttons, 362
  keyboard, 365
  keys, 367
GrabFrozen, 361, 367
GrabInvalidTime, 361, 367
GrabModeAsync, 295, 358, 360, 362, 365, 366, 367
GrabModeSync, 358, 360, 362, 365, 366, 367
GrabNotViewable, 361, 367
GrabSuccess, 359
Graphics context, 187
  path, 193
  initializing, 196
Graphics context, **680**
GraphicsExpose, 196, 216, 220, 221, 289, 290, 292, **312**, 313, 314
Gravity, **681**
GravityNotify, 51, 65, 289, 293, 300, 314, **318**, 322
GrayScale, 43, 44, 109, 113, 122, 132, 540, 541, 542, 662, **681**, 690
GXand, 190
GXandInverted, 190
GXandReverse, 190
GXclear, 190
GXcopy, 190, 219, 220, 262
GXcopyInverted, 190
GXequiv, 190
GXinvert, 190
GXnand, 190
GXnoop, 190
GXnor, 190
GXor, 190
GXorInverted, 190
GXorReverse, 190
GXset, 190
GXxor, 190

H

Hash Lookup, 669
Headers:
  <X11/X.h>, 3, 4
  <X11/Xlib.h>, 4
  <X11/Xatom.h>, 5
  <X11/Xcms.h>, 5
  <X11/Xlib.h>, 5
  <X11/Xresource.h>, 5
  <X11/Xutil.h>, 5
  <X11/cursorfont.h>, 5
  <X11/keysymdef.h>, 5
  <X11/X10.h>, 6
  <X11/Xlib.h>, 6
  <X11/Xlibint.h>, 6
  <X11/Xproto.h>, 6
  <X11/Xprotostr.h>, 6
  <X11/keysym.h>, 6
  <X11/keysymdef.h>, 6
  <X11/Xlib.h>, 13
  <X11/Xatom.h>, 89
  <X11/Xcms.h>, 112
  <X11/Xlib.h>, 112
  <X11/X.h>, 190
  <X11/Xatom.h>, 246
  <X11/X.h>, 288
  <X11/Xlib.h>, 289
  <X11/X.h>, 292
  <X11/Xproto.h>, 313, 352
  <X11/keysym.h>, 384
  <X11/keysymdef.h>, 384
  <X11/Xlib.h>, 494
  <X11/Xatom.h>, 496
  <X11/Xutil.h>, 514, 517, 523, 529
  <X11/Xatom.h>, 541
  <X11/Xresource.h>, 547
  <X11/keysymdef.h>, 575
  <X11/Xutil.h>, 581, 582, 591
  <X11/Xlib.h>, 594
  <X11/Xutil.h>, 596, 605
  <X11/Xlibint.h>, 621
  <X11/Xlib.h>, 623, 636, 638
  <X11/Xlibint.h>, 641, 642
  <X11/Xproto.h>, 642, 643, 644
  <X11/Xlibint.h>, 645
  <X11/Xproto.h>, 646
  <stdio.h>, 654
  <X11/Xutil.h>, 658
  <X11/X10.h>, 667
HeightMMOfScreen, **32**
HeightOfScreen, **31**
HeightValue, 580
Host Portable Character Encoding, **681**

Hotspot, **681**

I

IconicState, 499, 516
IconMaskHint, 514
IconPixmapHint, 514
IconPositionHint, 514
IconWindowHint, 514
Identifier, **681**
Image text:
  drawing, 259
ImageByteOrder, **25**
IMInstantiateCallback, **452**
IncludeInferiors, 196, 215
Inferiors, **681**
InitExtension, 355
Input:
  focus, **681**
  manager, **682**
Input Control, 288
InputFocus, 346, 347, 348
InputHint, 514
InputOnly, 45, 47, 50, 53, 54, 55, 57, 58, 65, 76, 77, 78, 84, 86, 105, 208, 209, 210, 218, 219, 271, 311, 322, 352, 675, 678, 682, 684
InputOutput, 44, 45, 47, 48, 49, 50, 51, 52, 53, 54, 55, 57, 58, 61, 84, 196, 673, 674, 675, 682, 684
int, 8, 473, 629, 654
Internationalization, **682**
IsCursorKey, **576**
IsFunctionKey, **576**
IsKeypadKey, **576**
IsMiscFunctionKey, **577**
IsModifierKey, **577**
ISO2022, **682**
IsPFKey, **577**
IsPrivateKeypadKey, **577**
isspace, 692
IsUnmapped, 84
IsUnviewable, 84
IsViewable, 84

J

JoinBevel, 193, 204
JoinMiter, 190, 193, 204
JoinRound, 193, 204

K

KBAutoRepeatMode, 376
KBBellDuration, 376
KBBellPercent, 376
KBBellPitch, 376
KBKey, 376
KBKeyClickPercent, 376
KBLed, 376
KBLedMode, 376
Key:
  grabbing, 367
  ungrabbing, 369
  grabbing, **682**
Keyboard:
  grabbing, 365
  ungrabbing, 367
  bell volume, 376
  bit vector, 376
  keyclick volume, 376
  grabbing, **683**
KeymapNotify, 289, **310**
KeymapStateMask, 292, 310
KeyMapStateMask, 358
KeyPress, 53, 289, **296**, 310, 366, 368, 370, 378, 385, 492, 493, 494, 572
KeyPressMask, 292, 296
KeyRelease, 53, 289, **296**, 310, 366, 370, 378, 492, 572
KeyReleaseMask, 292, 296
Keysym, **683**

L

LastKnownRequestProcessed, **21**
Latin Portable Character Encoding, **683**
Latin-1, **683**
LeaveNotify, 289, **300**, 301, 302, 303, 304, 306, 322, 361
LeaveWindowMask, 292, 301, 358
LedModeOff, 377
LedModeOn, 377
LineDoubleDash, 193, 194, 195, 204
LineOnOffDash, 193, 194, 204
Lines:
  drawing, 225
LineSolid, 190, 193, 194, 204
Locale, **683**
Locale name, **683**
Localization, **684**
Lock, 385, 386, 392, 578
LockDisplay, **645**
LockMask, 299, 300, 302, 358, 365
long, 94, 98, 100, 467, 472, 629, 654
LookupColor, 351
LowerHighest, 71, 72, 73

LSBFirst, 25

M

malloc, 652
MapNotify, 61, 289, 293, 300, 314, **319**, 322
Mapped window, **684**
MappingBusy, 382, 392
MappingFailed, 392
MappingKeyboard, 320, 574
MappingModifier, 320, 574
MappingNotify, 288, 289, 292, 314, **319**, 381, 390, 392, 574
MappingPointer, 320
MappingSuccess, 381, 392
MapRequest, 60, 61, 289, 323, **325**, 326, 334
MapWindow, 36, 271
MaxCmapsOfScreen, **32**
mblen, 399
mbtowc, 399
Menus, 277
MinCmapsOfScreen, **33**
Mod1, 385, 392
Mod1Mask, 299, 300, 302, 358, 365
Mod2, 392
Mod2Mask, 299, 300, 302, 358, 365
Mod3, 392
Mod3Mask, 299, 300, 302, 358, 365
Mod4, 392
Mod4Mask, 299, 300, 302, 358, 365
Mod5, 385, 392
Mod5Mask, 299, 300, 302, 358, 365
Modifier keys, **684**
Monochrome, **684**
MotionNotify, 289, 293, **296**, 297, 300, 348
Mouse:
  programming, 376
MSBFirst, 25
Multibyte, **684**

N

NextRequest, **21**, 352
NoEventMask, 53, 292
NoExpose, 216, 221, 289, 292, **312**, 313
Nonconvex, 235
None, **6**, 47, 48, 49, 53, 54, 75, 76, 77, 79, 84, 87, 88, 89, 92, 97, 102, 103, 104, 107, 109, 123, 190, 195, 213, 214, 218, 219, 220, 255, 257, 295, 299, 301, 308, 309, 316, 325, 328, 331, 332, 358, 360, 361, 362, 373, 374, 375, 430, 490, 509, 544, 604, 656
NoOperation, 11, 33
NormalState, 516
NorthEastGravity, 50, 84, 582
NorthGravity, 50, 84
NorthWestGravity, 47, 50, 51, 84, 582
NoSymbol, 384, 385, 388, 389, 573, 575
NotifyAncestor, 302, 303, 306, 307
NotifyDetailNone, 306, 308, 309, 310
NotifyGrab, 302, 304, 305, 310
NotifyHint, 297, 300
NotifyInferior, 302, 303, 306, 307
NotifyNonlinear, 302, 303, 304, 306, 307, 308, 309
NotifyNonlinearVirtual, 302, 303, 304, 306, 307, 308, 309
NotifyNormal, 300, 302, 305, 306
NotifyPointer, 306, 307, 308, 309, 310
NotifyPointerRoot, 306, 308, 309, 310
NotifyUngrab, 302, 304, 305, 310
NotifyVirtual, 302, 303, 306, 307
NotifyWhileGrabbed, 305, 306
NotUseful, 30, 47, 51, 52, 84
NULLQUARK, 569

O

Obscure, **684**
Occlude, **684**
OpenFont, 351
Opposite, 65, 66, 67
Output Control, 288
OwnerGrabButtonMask, 292, 295

P

PackData, 654
Padding, **685**
PAllHints, 518, 519
Parent Window, 2, 81
ParentRelative, 45, 48, 49, 75, 76, 77, 271
PAspect, 518
Passive grab, 358, **685**
PBaseSize, 518
Pixel value, 191, **685**
Pixmap, 3, 34, 36, 473, 643, 646, **685**
Pixmaps, 669
PlaceOnBottom, 315, 324
PlaceOnTop, 315, 324
Plane:
  mask, 191
  copying, 221
Plane, **685**
  mask, **685**
PlanesOfScreen, **33**
PMaxSize, 518

PMinSize, 518
Pointer:
  grabbing, 358, 361
  ungrabbing, 361
Pointer, **686**
  grabbing, **686**
PointerMotion, 53
PointerMotionHintMask, 292, 297, 358
PointerMotionMask, 292, 293, 297, 358
PointerRoot, 36, 308, 309, 310, 374, 375, 516
PointerWindow, 346, 347
Pointing device, **686**
Points:
  drawing, 224
poll, 40
Polygons:
  drawing, 225
  filling, 234
PolyLine, 227, 229
POSIX, **686**
POSIX Portable Filename Character Set, **686**
POSIX System Call:
  fork, 19
PPosition, 518
PreeditCaretCallback, **485**
PreeditDoneCallback, **480**, 481
PreeditDrawCallback, **481**
PreeditStartCallback, **480**, 481
PreeditStateNotifyCallback, **474**
PreferBlanking, 279, 281
PResizeInc, 518
Property:
  getting, 95
  appending, 98
  changing, 98
  format, 98
  listing, 98
  prepending, 98
  replacing, 98
  type, 98
  deleting, 101
Property, **686**
Property list, **686**
PropertyChangeMask, 292, 329
PropertyDelete, 329
PropertyNewValue, 329
PropertyNotify, 98, 99, 100, 101, 289, 328, **329**
PropModeAppend, 98, 99
PropModePrepend, 98, 99
PropModeReplace, 98, 99
Protocol:
  DECnet, 12
  TCP, 12
ProtocolRevision, **22**
ProtocolVersion, **21**
PseudoColor, 43, 44, 113, 122, 131, 132, 134, 542, 681, **687**, 690
PSize, 518
Psychometric Chroma, 163
  maximum, 163
Psychometric Chroma, 165
  maximum, 165
Psychometric Chroma, 167
  maximum, 167
Psychometric Chroma, 169
  maximum, 169
Psychometric Hue Angle, 163, 164, 165, 166, 167, 168, 169, 170
PWinGravity, 518

Q

QLength, **22**
QueryFont, 351, 644, 648
QueryKeymap, 644, 648
QueuedAfterFlush, 336, 337
QueuedAfterReading, 336
QueuedAlready, 336

R

RaiseLowest, 71, 72
Read-only colormap cells, 127
  allocating, 127
read-only colormap cells, 127
Read-only colormap cells:
  allocating, 128, 129
Read/write colormap cells, 127
  allocating, 131
Read/write colormap planes:
  allocating, 132
Rectangle:
  filling, 233
Rectangle, **687**
RectangleIn, 588
RectangleOut, 588
RectanglePart, 588
Rectangles:
  drawing, 228
Redirecting control, **687**
Region, 582
ReleaseByFreeingColormap, 539
ReparentNotify, 271, 289, 293, 314, **320**
ReplayKeyboard, 370, 372
ReplayPointer, 370, 372
Reply, **687**

Request, **687**
Requests, **288**
ResizeRedirect, 326
ResizeRedirectMask, 61, 65, 76, 292, 334
ResizeRequest, 61, 65, 289, 323, **326**, 334
Resource, **687**
Resource IDs, 3
  Cursor, 3
  Font, 3
  GContext, 3
  Pixmap, 3
  Window, 3
Resource IDs, 34
  freeing, 45, 77, 78
Resource IDs, 669
ResourceName, 567
RetainPermanent, 34, 35, 36, 278
RetainTemporary, 34, 35, 36, 278, 279
RevertToNone, 374, 375
RevertToParent, 374, 375
RevertToPointerRoot, 374, 375
RGB values, **687**
Root, 187, **688**
RootWindow, **22**, 438
RootWindowOfScreen, **33**

S

Save set, **688**
Save Unders, 52
Scanline, **688**
  order, **688**
Screen, 2, 12, 13, 14, 27, 28, 29, 30, 31, 32, 33, 636, **688**
  structure, 688
Screen White Point, 159
ScreenCount, **23**
ScreenFormat, 636
ScreenNumberOfCCC, **145**
ScreenOfDisplay, **18**
ScreenSaverActive, 280
ScreenSaverReset, 280
ScreenWhitePointOfCCC, **145**
select, 40
Selection, 101
  setting the owner, 102
  converting, 103
  getting the owner, 103
Selection, **689**
SelectionClear, 103, 289, 292, 328, **330**
SelectionNotify, 104, 289, 292, 328, **331**, 346
SelectionRequest, 103, 104, 289, 292, 328, **330**
SendEvent, 290, 629
Serial Number, 351
Server:
  grabbing, 277
Server, **689**
  grabbing, **689**
ServerVendor, **23**
setlocale, 395, 397, 683
SetModeDelete, 272
SetModeInsert, 272
Shift, 386, 392, 578
Shift sequence, **689**
ShiftMask, 299, 300, 302, 358, 365
short, 94, 97, 100, 654
Sibling, **689**
Source, **190**
SouthEastGravity, 50, 84, 582
SouthGravity, 50, 84
SouthWestGravity, 50, 84, 582
special, 10
Stacking order, 2, **690**
Standard Colormaps, 541
State-dependent encoding, **690**
State-independent encoding, **690**
StateHint, 514
StaticColor, 43, 44, 113, 122, **690**
StaticGravity, 51, 84
StaticGray, 43, 44, 109, 113, 122, 684, **690**
Status, 4, 121, **690**
StatusDoneCallback, **488**
StatusDrawCallback, **488**
StatusStart, 488
StatusStartCallback, **487**
Stipple, **690**
StippleShape, 208
STRING encoding, **690**
String Equivalence, **690**
StringConversionCallback, **478**
Strings:
  drawing, 258
strlen, 566
strtok, 399
StructureNotify, 315, 316, 318, 319, 321, 322
StructureNotifyMask, 292, 314, 315, 317, 318, 319, 320, 321
SubstructureNotify, 315, 316, 318, 319, 321, 322
SubstructureNotifyMask, 292, 293, 314, 315, 317, 318, 319, 320, 321, 499
SubstructureRedirectMask, 53, 60, 61, 65, 67, 68, 69, 70, 71, 72, 74, 76, 292, 324, 325, 326, 334, 499
Success, 98, 501, 503, 505
SyncBoth, 370
SyncHandle, 651
SyncKeyboard, 370, 372

SyncPointer, 370, 372

T

Text:
  drawing, 256
this, 10
Tile, 3
  mode, 45
  pixmaps, 45
Tile, **691**
TileShape, 208
Time, **358**
Timestamp, **691**
TopIf, 65, 66, 67
True, **6**, 30, 39, 52, 53, 60, 84, 85, 87, 88, 98, 132, 133, 137, 150, 152, 156, 181, 190, 218, 220, 221, 241, 246, 271, 290, 292, 295, 299, 302, 313, 316, 317, 319, 321, 322, 328, 329, 335, 338, 339, 340, 341, 343, 344, 345, 346, 347, 348, 350, 360, 366, 383, 395, 406, 407, 414, 421, 452, 453, 458, 490, 505, 515, 558, 559, 561, 562, 563, 568, 576, 577, 587, 588, 622, 630, 632, 648, 649
TrueColor, 43, 44, 113, 122, **691**
Type, **691**

U

Ungrabbing:
  pointer, 361
  buttons, 364
  keyboard, 367
  keys, 369
UngrabKeyboard, 367
UngrabPointer, 361
UnlockDisplay, **645**
UnmapGravity, 51, 84, 322
UnmapNotify, 51, 63, 289, 293, 300, 305, 314, **321**, 322, 499, 500
UnmapNotify Event, 63, 64
UnmapWindow, 271
unsigned, 467, 472, 629, 654
Unsorted, 213, 214
UrgencyHint, 514, 516
USPosition, 518
USSize, 518

V

Value, 172
  maximum, 172
Value, 173
  maximum, 173
Value, 174
  maximum, 174
Value, 175
  minimum, 175
VendorRelease, **23**
Vertex, 666, **667**
VertexCurved, **667**, 668
VertexDontDraw, **667**, 668
VertexDrawLastPoint, 666
VertexEndClosed, 666, **667**, 668
VertexRelative, **667**, 668
VertexStartClosed, 666, **667**, 668
Viewable, **692**
VisibilityChangeMask, 292, 322
VisibilityFullyObscured, 323
VisibilityNotify, 55, 289, 300, 306, 314, **322**, 323
VisibilityPartiallyObscured, 323
VisibilityUnobscured, 323
Visible, **692**
Visual, **43**, 44, 84, 594, 595, 636
Visual Classes:
  GrayScale, 43
  PseudoColor, 43
  StaticColor, 43
  StaticGray, 43
  TrueColor, 43
Visual Type, **42**
VisualAllMask, 591
VisualBitsPerRGBMask, 591
VisualBlueMaskMask, 591
VisualClassMask, 591
VisualColormapSizeMask, 591
VisualDepthMask, 591
VisualGreenMaskMask, 591
VisualID, 643
VisualIDMask, 591
VisualNoMask, 591
VisualOfCCC, **145**
VisualRedMaskMask, 591
VisualScreenMask, 591
VoidSymbol, 385

W

wctomb, 399
WestGravity, 50, 84
WhenMapped, 30, 51, 52, 75, 84, 311
White point, 120
White point adjustment, 120
  client data, 147
  procedure, 147
  setting in Color Conversion Context, 147
WhitePixel, 14, **15**

WhitePixelOfScreen, **28**
Whitespace, **692**
WidthMMOfScreen, **32**
WidthOfScreen, **31**
WidthValue, 580
WindingRule, 196, 207, 582
Window, **2**, 3
  RootWindow, 22
  XRootWindow, 22
Window, 34, 44
  attributes, 44
  mapping, 45
  InputOnly, 55
  background, 76
  defining the cursor, 79
  undefining the cursor, 79
  clearing, 218
  managers, 277
Window, 466
  name, 510
  icon name, 513
  determining location, 580
Window, 643, 646
  determining location, 663
  IDs, 669
  InputOnly, **682**
  InputOutput, **682**
  parent, **685**
  root, **688**
  gravity, **692**
  manager, **692**
WindowGroupHint, 514
Windows, 669
WithdrawnState, 516

X

X Portable Character Set, **692**
X10 compatibility:
  XDraw, 666
  XDrawDashed, 666
  XDrawFilled, 666
  XDrawPatterned, 666
  XDrawTiled, 666, 668
  XDrawFilled, 669
XActivateScreenSaver, **280**
XAddConnectionWatch, **38**, 39
XAddExtension, **624**
XAddHost, **283**
XAddHosts, **283**, 284
XAddPixel, **598**
XAddToExtensionList, **637**
XAddToSaveSet, **272**, 273
XAllocClassHint, **523**
XAllocColor, 123, **127**, 128, 130, 131, 134, 159
XAllocColorCells, 122, 123, **131**, 132, 134
XAllocColorPlanes, 122, 123, **132**, 134, 540
XAllocIconSize, **529**
XAllocID, **638**, 646
XAllocIDs, **638**, 639
XAllocNamedColor, 118, 123, **128**, 129, 130, 134
XAllocSizeHints, **517**, 518
XAllocStandardColormap, **539**
XAllocWMHints, **514**
XAllowEvents, 357, 360, 366, 367, **370**, 373
XAllPlanes, **14**
XAnyEvent, **289**
XAppendVertex, 666
XArc, **224**
XAssocTable, 669, 670, 671, 672
XAutoRepeatOff, **380**
XAutoRepeatOn, **379**
XBaseFontNameListOfFontSet, 415, **418**, 419
XBell, **380**
XBitmapBitOrder, **25**
XBitmapPad, **26**
XBitmapUnit, **25**
XBlackPixel, **14**
XBlackPixelOfScreen, **28**
XBufferOverflow, 492
XButtonEvent, **297**
XButtonPressedEvent, **297**, 299
XButtonReleasedEvent, **297**, 299
Xcalloc, 652
XCellsOfScreen, **28**
XChangeActivePointerGrab, 296, **361**, 362
XChangeGC, **198**, 214, 646
XChangeKeyboardControl, 376, **378**, 380
XChangeKeyboardMapping, 320, **388**, 389, 390
XChangePointerControl, **382**, 383
XChangeProperty, 20, **98**, 99, 100, 329
XChangeSaveSet, **272**
XChangeWindowAttributes, 46, **74**, 75, 76, 123, 274, 327, 333
XChar2b, **239**, 253, 255, 257
XCharStruct, **239**, 241, 242, 243, 250, 251, 252, 253, 254
XCheckIfEvent, 338, **339**, 340
XCheckMaskEvent, **344**
XCheckTypedEvent, **344**, 345
XCheckTypedWindowEvent, **345**, 346
XCheckWindowEvent, **342**, 343
XCirculateEvent, **314**
XCirculateRequestEvent, **324**
XCirculateSubwindows, **71**, 72, 73, 314, 324
XCirculateSubwindowsDown, **73**, 314, 324

XCirculateSubwindowsUp, **72**, 73, 314, 324
XClassHint, **523**, 524, 531, 533, 534, 535
XClearArea, **217**, 218, 219
XClearVertexFlag, 666
XClearWindow, 75, **218**, 219
XClientMessageEvent, **328**
XClipBox, **584**, 585
XCloseDisplay, **34**, 35, 625
XCloseIM, 440, 447, **450**, 457, 467
XCloseOM, **403**, 405
XcmsAddColorSpace, 154, 158, 176, **177**, 178
XcmsAddFunctionSet, 176, **183**, 184
XcmsAllocColor, **128**, 158, 159
XcmsAllocNamedColor, 118, **129**, 130, 131
XcmsCCC, 144, 183
XcmsCCCOfColormap, **143**
XcmsCIELab, **115**, 157
XcmsCIELabClipab, 154
XcmsCIELabClipL, 154
XcmsCIELabClipLab, 155
XcmsCIELabFormat, 115, 182
XcmsCIELabQueryMaxC, 154, **163**, 164
XcmsCIELabQueryMaxL, **164**, 165
XcmsCIELabQueryMaxLC, **165**, 166
XcmsCIELabQueryMinL, **166**, 167
XcmsCIELabToCIEXYZ, 182
XcmsCIELabWhiteShiftColors, 157
XcmsCIELuv, **115**, 158, 159
XcmsCIELuvClipL, 155
XcmsCIELuvClipLuv, 155
XcmsCIELuvClipuv, 155
XcmsCIELuvFormat, 115, 182
XcmsCIELuvQueryMaxC, 155, **167**, 168
XcmsCIELuvQueryMaxL, **168**, 169
XcmsCIELuvQueryMaxLC, **169**, 170
XcmsCIELuvQueryMinL, **170**, 171
XcmsCIELuvToCIEuvY, 182
XcmsCIELuvWhiteShiftColors, 158, 159
XcmsCIEuvY, **115**, 159
XcmsCIEuvYFormat, 115, 146, 182
XcmsCIEuvYToCIELuv, 182
XcmsCIEuvYToCIEXYZ, 182
XcmsCIEuvYToTekHVC, 182
XcmsCIExyY, **115**
XcmsCIExyYFormat, 115, 146, 182
XcmsCIExyYToCIEXYZ, 182
XcmsCIEXYZ, **115**, 152, 153, 154, 159
XcmsCIEXYZFormat, 115, 146, 182
XcmsCIEXYZToCIELab, 182
XcmsCIEXYZToCIEuvY, 182
XcmsCIEXYZToCIExyY, 182
XcmsCIEXYZToRGBi, 182
XcmsClientWhitePointOfCCC, **145**
XcmsColor, **114**, 130, 136, 137, 138, 141, 142, 150, 151, 152, 156, 177, 179, 180, 181
XcmsColorFormat, 114
XcmsColorSpace, 177, 178, 180, 181, 183, 184
XcmsColorSpaces, 177
XcmsCompressionProc, **152**
XcmsConvertColors, **150**, 151
XcmsCreateCCC, **148**, 149
XcmsDefaultCCC, **144**
XcmsDisplayOfCCC, **144**
XcmsFailure, 121, 126, 128, 146, 148, 151, 165, 167, 169, 171, 185
XcmsFormatOfPrefix, 115, 177, **178**, 179, 183
XcmsFreeCCC, 143, 148, **150**
XcmsFunctionSet, 184, 185
XcmsInitFailure, 185, 186
XcmsInitNone, 186
XcmsInitSuccess, 185, 186
XcmsLookupColor, 118, **125**, 126, 130
XcmsPad, **115**
XcmsParseStringProc, **180**
XcmsPerScrnInfo, 183, 184, 185, 186
XcmsPrefixOfFormat, 115, 177, **178**, 179, 183
XcmsQueryBlack, **160**
XcmsQueryBlue, **160**, 161
XcmsQueryColor, 137, **141**
XcmsQueryColors, 138, **141**, 142
XcmsQueryGreen, **161**
XcmsQueryRed, **162**
XcmsQueryWhite, **162**, 163
XcmsRGB, **115**, 117, 158, 159
XcmsRGBFormat, 115, 128, 131, 151, 182
XcmsRGBi, **115**, 117, 152, 153, 159
XcmsRGBiFormat, 115, 151, 182
XcmsRGBiToCIEXYZ, 182
XcmsRGBiToRGB, 182
XcmsRGBToRGBi, 182
XcmsScreenFreeProc, **186**
XcmsScreenInitProc, **184**
XcmsScreenNumberOfCCC, **145**
XcmsScreenWhitePointOfCCC, **145**
XcmsSetCCCOfColormap, **143**
XcmsSetCompressionProc, **146**, 147
XcmsSetWhiteAdjustProc, **147**
XcmsSetWhitePoint, **146**
XcmsStoreColor, **136**, 137
XcmsStoreColors, **137**, 138, 139
XcmsSuccess, 121, 126, 137, 138, 177, 185
XcmsSuccessWithCompression, 121, 126
XcmsTekHVC, **115**, 158
XcmsTekHVCClipC, 156
XcmsTekHVCClipV, 155
XcmsTekHVCClipVC, 156

XcmsTekHVCFormat, 115, 182
XcmsTekHVCQueryMaxC, 160, **171**, 172
XcmsTekHVCQueryMaxV, **172**, 173
XcmsTekHVCQueryMaxVC, **173**, 174
XcmsTekHVCQueryMaxVSamples, **174**, 175
XcmsTekHVCQueryMinV, **175**, 176
XcmsTekHVCToCIEuvY, 182
XcmsTekHVCWhiteShiftColors, 158
XcmsUndefinedFormat, 115, 125, 129, 146, 178
XcmsVisualOfCCC, **145**
XcmsWhiteAdjustProc, **156**
XCNOENT, 606
XCNOMEM, 605
XColor, 111, **113**, 114, 117, 127, 135, 136, 137, 138, 139, 140, 141
XColormapEvent, **327**
XComposeStatus, 578
XCompoundTextStyle, 503
XConfigureEvent, **316**
XConfigureRequestEvent, **325**
XConfigureWindow, 64, **66**, 67, 315, 318, 325, 326
XConnectionNumber, **15**
XContextDependentDrawing, **421**
XContextualDrawing, 407, **421**
XConvertCase, **574**, 575
XConverterNotFound, 501, 505
XConvertSelection, **103**, 104, 330
XCopyArea, 196, 216, **219**, 220, 221, 292, 312, 313
XCopyColormapAndFree, **122**, 123
XCopyGC, **197**, 198
XCopyPlane, 106, 196, 216, **221**, 222, 223, 292, 312, 313
XCreateAssocTable, **670**
XCreateBitmapFromData, **603**, 604
XCreateColormap, **121**, 122, 135, 540
XCreateFontCursor, 106, **107**, 620
XCreateFontSet, 397, 410, 413, **414**, 416, 417, 419, 425, 427, 431, 433, 435, 506, 508
XCreateGC, 188, **196**, 197, 198, 214, 313, 583, 646
XCreateGlyphCursor, **107**, 108
XCreateIC, 397, 440, **459**, 463, 468
XCreateImage, **594**, 595, 596, 598
XCreateOC, 397, **407**, 408, 410, 411, 414
XCreatePixmap, **105**, 106, 646
XCreatePixmapCursor, 108, **109**, 110
XCreatePixmapFromBitmapData, **602**, 603
XCreateRegion, **582**
XCreateSimpleWindow, 55, **57**, 58, 59, 274, 316
XCreateWindow, 46, **55**, 57, 74, 123, 274, 316, 333
XCreateWindowEvent, **317**
XCrossingEvent, **301**
XDefaultColormap, **15**
XDefaultColormapOfScreen, **28**
XDefaultDepth, **16**
XDefaultDepthOfScreen, **29**
XDefaultGC, **17**
XDefaultGCOfScreen, **29**
XDefaultRootWindow, **17**
XDefaultScreen, 12, 13, **18**
XDefaultScreenOfDisplay, **17**
XDefaultString, **505**, 506
XDefaultVisual, **18**
XDefaultVisualOfScreen, **29**
XDefineCursor, 57, **79**, 80
XDeleteAssoc, **671**, 672
XDeleteContext, **606**
XDeleteModifiermapEntry, **391**
XDeleteProperty, **101**, 329
XDestroyAssocTable, **672**
XDestroyIC, 457, **459**, 460, 467
XDestroyImage, 596, **598**
XDestroyOC, **408**, 411, 412, 414
XDestroyRegion, **583**
XDestroySubwindows, **59**, 60, 317
XDestroyWindow, **59**, 317
XDestroyWindowEvent, **318**
XDirectionalDependentDrawing, 406, **420**, 421
XDisableAccessControl, **286**, 287
XDisplayCells, 13, **19**
XDisplayHeight, 13, **26**
XDisplayHeightMM, 13, **26**
XDisplayKeycodes, **386**, 387, 388, 389
XDisplayMotionBufferSize, **348**
XDisplayName, **356**
XDisplayOfIM, **451**
XDisplayOfOM, **404**
XDisplayOfScreen, **30**
XDisplayPlanes, 13, **19**
XDisplayString, **19**
XDisplayWidth, 13, **27**
XDisplayWidthMM, 13, **27**
XDoesBackingStore, **30**
XDoesSaveUnders, **30**
xDoSomethingReply, **644**
xDoSomethingReq, **643**, 647
XDraw, **666**, 667
XDrawArc, 194, **229**, 231, 232
XDrawArcs, 20, 229, **230**, 231, 232
XDrawDashed, 666
XDrawFilled, 666, 668, **669**
XDrawImageString, 256, **259**, 261, 262, 428
XDrawImageString16, 259, **260**, 261, 262

XDrawLine, 194, 217, **225**, 227, 228
XDrawLines, 20, 225, **226**, 227, 228, 666
XDrawPatterned, 666
XDrawPoint, 217, **224**, 225, 640
XDrawPoints, 20, **224**, 225
XDrawRectangle, 194, 217, **228**, 229
XDrawRectangles, 20, **228**, 229
XDrawSegments, 20, 194, 225, **226**, 227, 228, 666
XDrawString, **258**, 259, 428
XDrawString16, **258**, 259
XDrawText, 194, 255, **256**, 257, 258, 428
XDrawText16, 194, 255, **256**, 257, 258
XDrawTiled, 666, 668
XEDataObject, 637
XEHeadOfExtensionList, **637**
XEmptyRegion, **587**
XEnableAccessControl, **286**
XEnterWindowEvent, **301**, 302, 303, 304
XEqualRegion, **587**
XErrorEvent, 351, 632, 635
XESetBeforeFlush, **635**, 636
XESetCloseDisplay, **625**
XESetCopyGC, **626**, 635
XESetCreateFont, **627**, 628
XESetCreateGC, **625**, 626
XESetError, **632**
XESetErrorString, **633**, 634
XESetEventToWire, 629, **631**
XESetFlushGC, **635**
XESetFreeFont, **628**
XESetFreeGC, **627**
XESetPrintErrorValues, **634**
XESetWireToError, **632**, 635
XESetWireToEvent, **629**, 630
XEvent, **290**, 291, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 348, 490, 629
xEvent, 629
XEvent, 630
xEvent, 630
XEvent, 631
xEvent, 631
XEvent, 632, 635
XEventMaskOfScreen, **31**
XEventsQueued, 22, **336**, 337
XExposeEvent, **312**
XExtCodes, **623**, 624, 654
XExtData, **636**
XExtendedMaxRequestSize, **20**
XExtentsOfFontSet, 397, **422**
XFetchBuffer, **590**, 591
XFetchBytes, 589, **590**
XFetchName, **511**, 512
XFillArc, 194, 217, **236**, 238
XFillArcs, 20, 196, **237**, 238
XFillPolygon, 20, 194, 196, **234**, 235, 236
XFillRectangle, 194, 217, **233**, 234
XFillRectangles, 20, **233**, 234
XFilterEvent, 489, **490**
XFindContext, **605**, 606
XFindOnExtensionList, **638**
XFlush, **335**
XFlushGC, **200**
XFocusChangeEvent, **305**
XFocusInEvent, **305**, 306, 307, 308, 309, 310
XFocusOutEvent, **305**, 306, 307, 308, 309, 310
XFontProp, **239**
XFontSet, 397, 401, 407, 414, 415, 416, 417, 418, 419, 422, 425, 427, 431, 433, 435, 473, 506, 673
XFontSetExtents, 420, **421**, 422
XFontsOfFontSet, 410, **417**, 418
XFontStruct, **239**, 241, 244, 245, 250, 251, 256, 413, 417, 418, 420, 636
XFontStructs, 418
XFontStructSet, 413, 418
XForceScreenSaver, **280**
XFree, 16, 24, **34**, 41, 82, 94, 98, 275, 284, 349, 388, 400, 405, 451, 454, 457, 461, 463, 479, 503, 507, 512, 514, 517, 518, 523, 524, 527, 529, 531, 539, 556, 590, 593, 601, 652
XFreeColormap, **123**, 327, 328
XFreeColors, 122, **134**, 135
XFreeCursor, 54, **111**
XFreeExtensionList, **623**
XFreeFont, 108, **245**, 246, 628
XFreeFontInfo, 245, **249**
XFreeFontNames, **247**, 248, 249
XFreeFontPath, **277**
XFreeFontSet, 413, 417, 418, **419**, 420, 422
XFreeGC, **199**, 200
XFreeModifiermap, **391**, 392, 393
XFreePixmap, **106**, 600, 604
XFreeStringList, 417, 505, **507**, 537
XGContextFromGC, **200**, 245
XGCValues, **188**, 198
xGenericReply, 644
XGeometry, **663**, 664
XGetAtomName, **93**, 94
XGetAtomNames, **94**
XGetClassHint, **524**
XGetCommand, **536**
XGetDefault, **665**, 666
XGetErrorDatabaseText, **354**, 355, 397
XGetErrorText, **354**, 397, 634
XGetFontPath, **276**, 277
XGetFontProperty, **246**
XGetGCValues, **198**, 199

XGetGeometry, **85**, 86
XGetIconName, **513**, 514
XGetIconSizes, **530**, 531
XGetICValues, 448, **462**, 463, 471
XGetImage, **265**, 266, 267, 268, 594, 596, 598
XGetIMValues, 442, 446, 448, **450**, 451, 454, 458, 465, 467, 468, 469, 474, 475
XGetInputFocus, **375**, 376
XGetKeyboardControl, **379**
XGetKeyboardMapping, **387**, 388
XGetModifierMapping, **393**
XGetMotionEvents, 297, 348, **349**
XGetNormalHints, **658**, 659, 661
XGetOCValues, 408, **409**, 410, 411, 412
XGetOMValues, **403**, 404, 412
XGetPixel, **596**
XGetPointerControl, **383**, 384
XGetPointerMapping, 381, **382**
XGetRGBColormap, 661
XGetRGBColormaps, 472, **544**, 545
XGetScreenSaver, **281**
XGetSelectionOwner, **103**
XGetSizeHints, **661**
XGetStandardColormap, **661**, 662
XGetSubImage, **267**, 268, 269
XGetTextProperty, **508**, 509, 510, 512, 537
XGetTransientForHint, **525**, 526
XGetVisualInfo, **592**, 593
XGetWindowAttributes, **82**, 83, 85
xGetWindowAttributesReply, 649
XGetWindowProperty, **95**, 97, 98, 329
XGetWMClientMachine, **537**
XGetWMColormapWindows, **528**, 529
XGetWMHints, **517**
XGetWMIconName, **512**, 513
XGetWMName, **510**
XGetWMNormalHints, **520**, 522, 658
XGetWMProtocols, **526**, 527
XGetWMSizeHints, **521**, 522, 661
XGetZoomHints, 659, **660**, 661
XGrabButton, 295, 361, **362**, 363, 364, 370
XGrabKey, **367**, 368, 369, 370
XGrabKeyboard, 310, 358, **365**, 366, 367, 368, 369, 370
XGrabPointer, 301, 304, **358**, 359, 361, 362, 364, 370
XGrabServer, **277**, 278
XGraphicsExposeEvent, 289, **313**
XGravityEvent, **318**
XHeightMMOfScreen, **32**
XHeightOfScreen, **31**
XHostAddress, **282**
XIC, 397, 440, 442
XICCEncodingStyle, **501**
XIconifyWindow, **498**, 499
XIconSize, 496, 529, **530**
XID, **6**
XIfEvent, 338, **339**
XIM, 394, 397, 439, 440, 489
XIMAbsolutePosition, **487**
XImage, **262**, 264, 266, 268, 269, 594, 595, 597, 598
XImageByteOrder, **25**
XIMBackwardChar, 479, **487**
XIMBackwardWord, **487**
XIMCallback, 456, 466, 467, 474, **475**
XIMCaretDirection, 479, **486**
XIMCaretDown, **487**
XIMCaretStyle, **486**
XIMCaretUp, **487**
XIMDontChange, **487**
XIMFeedback, 457, 458, 485, 489
XIMForwardChar, 479, **487**
XIMForwardWord, **487**
XIMHighlight, **485**
XIMHotKeyStateOFF, 470, 471
XIMHotKeyStateON, 469, 470
XIMHotKeyTriggers, 469
XIMInitialState, 461, **469**, 474
XIMLineEnd, 479, **487**
XIMLineStart, **487**
XIMNextLine, **487**
XIMOfIC, **461**, 462
XIMPreeditArea, 442, , **455**, 471, 472
XIMPreeditCallbacks, **455**, 475
XIMPreeditCaretCallbackStruct, **486**
XIMPreeditDisable, 473, 474
XIMPreeditDrawCallbackStruct, 458, 481, **482**
XIMPreeditEnable, **473**, 474
XIMPreeditNone, **455**
XIMPreeditNothing, **455**
XIMPreeditPosition, **455**, 471, 472
XIMPreeditStateNotifyCallbackStruct, 474, **475**
XIMPreeditUnknown, 473
XIMPreserveState, 461, 469
XIMPreviousLine, **487**
XIMPrimary, **485**
XIMProc, **475**
XIMResetState, 469
XIMReverse, 484, **485**
XIMSecondary, **485**
XIMStatusArea, 442, **455**, **456**, 471, 472
XIMStatusCallbacks, **455**, **456**, 475
XIMStatusDataType, **489**
XIMStatusDrawCallbackStruct, **489**
XIMStatusNone, **455**, **456**

XIMStatusNothing, **455**, **456**
XIMStringConversionCallbackStruct, 446, 478, **479**
XIMStringConversionOperation, 480
XIMStringConversionPosition, 479
XIMStringConversionRetrieval, 479, 480
XIMStringConversionSubstitution, 479, 480
XIMStringConversionText, 468, 478, 479
XIMStyle, **455**
XIMStyles, 442, 454, **455**
XIMTertiary, **485**
XIMText, 444, 457, 458, 482, 483, 484, 489
XIMUnderline, **485**
XIMValuesList, 457
XIMVisibleCenter, 484, **485**
XIMVisibleToBackward, 484, **485**, 489
XIMVisibleToCenter, 489
XIMVisibleToForward, 484, **485**, 489
XInitExtension, 623, **624**, 638, 654
XInitImage, **263**
XInitThreads, **37**, 38
XINPreserveState, **469**
XInsertModifiermapEntry, **390**, 391
XInstallColormap, 53, 75, 113, **274**, 327
XInternalConnectionNumbers, **40**, 41
XInternAtom, 89, **91**, 92, 93
XInternAtoms, **92**, 93
XIntersectRegion, **585**
XKeyboardControl, **376**, 378
XKeyboardState, **379**
XKeycodeToKeysym, **573**
XKeyEvent, **297**
XKeymapEvent, **311**
XKeyPressedEvent, **297**, 299, 573, 578
XKeyReleasedEvent, **297**, 299, 573, 578
XKeysymToKeycode, **573**, 574
XKeysymToString, **575**, 576
XKillClient, **278**, 279, 541
XLastKnownRequestProcessed, **21**
XLeaveWindowEvent, **301**, 302, 303, 304
XLFD, **693**
XlibSpecificationRelease, **4**
XListDepths, **16**
XListExtensions, 621, **622**, 623
XListFonts, **247**, 248
XListFontsWithInfo, **248**, 249
XListHosts, **284**
XListInstalledColormaps, **275**, 276
XListPixmapFormats, **24**
XListProperties, **98**
XLoadFont, **244**, 245, 246
XLoadQueryFont, 239, **245**, 248, 249, 628
XLocaleNotSupported, 395, 501, 503, 504
XLocaleOfFontSet, **419**
XLocaleOfIM, 397, **451**
XLocaleOfOM, 397, **404**
XLockDisplay, **37**, 38, 39, 338
XLookUpAssoc, **671**
XLookupBoth, 492
XLookupChars, 492
XLookupColor, 118, **123**, 124
XLookupKeySym, 492
XLookupKeysym, **572**, 573
XLookupNone, 492
XLookupString, 577, **578**, 579
XLowerWindow, **71**, 315, 325
XMakeAssoc, **670**, 671
Xmalloc, 652
XMapEvent, **319**
XMappingEvent, **320**
XMapRaised, **62**, 315, 319, 325, 326
XMapRequestEvent, **326**
XMapSubwindows, **62**, 63, 319, 326
XMapWindow, 45, 57, 60, **61**, 62, 319, 326
XMaskEvent, **343**, 344
XMatchVisualInfo, 16, **593**, 594
XMaxCmapsOfScreen, **32**
XMaxRequestSize, **20**
XmbDrawImageString, **433**, 434
XmbDrawString, 420, **431**, 432
XmbDrawText, 397, 428, **429**, 430, 431
XmbLookupString, 397, 440, 441, 443, 444, 446, 449, **490**, 491, 492, 493
XmbPerCharExtents, 422
XmbResetIC, 445, **461**, 468, 469, 474
XmbSetWMProperties, 397, **531**, 532, 533, 534
XmbTextEscapement, **423**, 425
XmbTextExtents, 397, 422, **424**, 428, 431, 435
XmbTextItem, **428**
XmbTextListToTextProperty, 397, 501, **502**
XmbTextPerCharExtents, 420, **425**, 427, 428, 431
XmbTextPropertyToTextList, 397, **503**, 504, 505, 506, 507, 555, 556
XMinCmapsOfScreen, **33**
XModifierKeymap, **390**, 391, 392, 393
XMotionEvent, **297**
XMoveResizeWindow, **68**, 69, 315, 318, 325, 326, 646
XMoveWindow, **67**, 68, 315, 325, 646
XNArea, 442, 455, 456, **471**, **494**
XNAreaNeeded, 442, 455, 456, **471**, 472, **494**
XNBackground, **472**, **494**
XNBackgroundPixmap, 473, **494**
XNBaseFontName, 410, 411, **495**
XNClientWindow, **465**, 466, **494**
XNColormap, **472**, **494**

XNContextualDrawing, 404, 407, **495**
XNCursor, 473, **494**
XNDefaultString, 411, 412, **495**
XNDestroyCallback, 447, 454, 456, 467, **494**
XNDirectionalDependentDrawing, 404, 406, **495**
XNegative, 581
XNewModifiermap, **390**
XNextEvent, 4, 335, **337**, 489
XNextRequest, **21**
XNFilterEvents, 443, 459, 462, **467**, **494**
XNFocusWindow, 455, **466**, 471, **494**
XNFontInfo, 413, **495**
XNFontSet, 442, **473**, **494**
XNForeground, **472**, **494**
XNGeometryCallback, **466**, 467, **494**
XNHotKey, 469, **495**
XNHotKeyState, 469, 470, **495**
XNInputStyle, 442, 465, 472, **494**
XNLineSpace, 473, **494**
XNLineSpacing, 442
XNMissingCharSet, 411, **495**
XNoExposeEvent, **313**
XNOMAutomatic, 413, 414, **495**
XNoMemory, 501, 503, 504
XNoOp, **33**
XNOrientation, 412, **495**
XNPreeditAttributes, **471**, **494**
XNPreeditCaretCallback, 455, **475**, **494**
XNPreeditDoneCallback, 455, **475**, **494**
XNPreeditDrawCallback, 455, **475**, **494**
XNPreeditStartCallback, 455, **475**, **494**
XNPreeditState, 448, 468, 469, 473, 474, **495**
XNPreeditState., 448
XNPreeditStateNotifyCallback, 448, 474, **494**
XNQueryICValuesList, 446, 448, 454, 457, 467, 468, 469, 474, 475, **495**
XNQueryIMValues, 458
XNQueryIMValuesList, 454, 457, **495**
XNQueryInputStyle, 454, 465, **494**
XNQueryOrientation, 404, 405, 412, **495**
XNR6PreeditCallbackBehavior, 454, 458, **495**
XNRequiredCharSet, 404, 405, **495**
XNResetState, 461, 468, 469, 474, **495**
XNResourceClass, 412, 454, 456, **466**, **494**
XNResourceName, 412, 454, 456, **466**, **494**
XNSeparatorofNestedList, 494
XNSeparatorofNestedList :
, @DEF@""
XNSpotLocation, 455, **472**, **494**
XNStatusAttributes, **471**, **494**
XNStatusDoneCallback, 456, **475**, **494**
XNStatusDrawCallback, 456, **475**, **494**
XNStatusStartCallback, 456, **475**, **494**
XNStdColormap, **472**, **494**
XNStringConversion, 446, 468, **495**
XNStringConversionCallback, 446, 467, **495**
XNVaNestedList, 399, **494**
XNVisiblePosition, 454, 457, 458, **495**
XOC, 401, 407, 411, 412, 413, 414
XOffsetRegion, **584**
XOM, 394, 397, 401, 405, 414, 419
XOMCharSetList, **405**, 411
XOMFontInfo, 413
XOMOfOC, **408**
XOMOrientation, 405
XOMOrientation_Context, 406, 412
XOMOrientation_LTR_TTB, 405, 406, 412
XOMOrientation_RTL_TTB, 406
XOMOrientation_TTB_LTR, 406
XOMOrientation_TTB_RTL, 406
XOpenDisplay, **11**, 12, 13, 18, 19, 42, 288, 356, 555
XOpenIM, 397, 439, 447, **449**, 450
XOpenOM, 397, **401**, 402
XOrientation, 412
XParseColor, 118, **124**, 125
XParseGeometry, **580**, 582, 664, 665
XPeekEvent, **337**, 338
XPeekIfEvent, 338, **340**, 341
XPending, 335, **336**, 337
Xpermalloc, **579**
XPixmapFormatValues, 24
XPlanesOfScreen, **33**
XPoint, **223**, 227, 472
XPointer, **6**, 399
XPointerMovedEvent, **297**, 300
XPointInRegion, **587**, 588
XPolygonRegion, **582**, 583
XProcessInternalConnection, **40**
XPropertyEvent, **329**
XProtocolRevision, **22**
XProtocolVersion, **21**
XPutBackEvent, **346**
XPutImage, 20, **264**, 265, 594, 603
XPutPixel, **596**, 597
XQLength, **22**, 336
XQueryBestCursor, 106, **110**
XQueryBestSize, **208**
XQueryBestStipple, **209**, 210
XQueryBestTile, **209**
XQueryColor, 139, **140**
XQueryColors, 139, **140**, 141
XQueryExtension, **621**, 622
XQueryFont, **244**, 245, 628
XQueryKeymap, **380**, 381
XQueryPointer, 87, **88**, 89, 297

XQueryTextExtents, 252, **253**, 254, 255, 262
XQueryTextExtents16, 252, **253**, 254, 255
XQueryTree, **81**, 82
XRaiseWindow, 4, **70**, 71, 315, 325
XReadBitmapFile, **599**, 600, 601
XReadBitmapFileData, **601**
XRebindKeysym, 578, **579**
XRecolorCursor, 107, **110**, 111
XReconfigureWMWindow, **500**
XRectangle, **223**, 422, 427, 471
XRectangle., 471
XRectangles, 427
XRectInRegion, **588**
XRefreshKeyboardMapping, 320, **574**, 578
XRegisterIMInstantiateCallback, 397, 447, **452**
XRemoveConnectionWatch, **39**, 40
XRemoveFromSaveSet, **273**
XRemoveHost, **284**, 285
XRemoveHosts, **285**
XReparentEvent, **321**
XReparentWindow, **270**, 271, 272, 319, 320
xReply, 648
xReq, 640, 644
XResetScreenSaver, **281**
XResizeRequestEvent, **327**
XResizeWindow, **68**, 315, 318, 325, 326
XResourceManagerString, **555**
xResourceReq, **643**
XRestackWindows, **73**, 74, 315, 325
XrmBindingList, 553
XrmBindLoosely, 553
XrmBindTightly, 553
XrmCombineDatabase, **558**, 559
XrmCombineFileDatabase, **558**
XrmDatabase, 397, **554**
XrmDestroyDatabase, **557**
XrmEnumAllLevels, 567, 568
XrmEnumerateDatabase, **567**, 568
XrmEnumOneLevel, 567, 568
XrmGetDatabase, **557**, 558
XrmGetFileDatabase, 397, **554**, 556
XrmGetResource, 559, **560**, 561, 562, 563
XrmGetStringDatabase, 397, 555, **556**
XrmInitialize, **554**
XrmLocaleOfDatabase, 397, **556**
XrmMergeDatabases, **559**, 561
XrmOptionDescRec, **569**
XrmOptionDescRec.value, 569
XrmOptionKind, **569**
XrmoptionNoArg, 570
XrmoptionSkipArg, 569
XrmoptionSkipNArgs, 569
XrmParseCommand, **569**, 570
XrmPermStringToQuark, **551**
XrmPutFileDatabase, 397, **554**, 555
XrmPutLineResource, **566**, 567
XrmPutResource, 561, **563**, 564
XrmPutStringResource, **565**
XrmQGetResource, 559, **560**, 561, 563
XrmQGetSearchList, **562**, 563
XrmQGetSearchResource, 559, **562**, 563
XrmQPutResource, 561, 563, **564**, 565, 566
XrmQPutStringResource, **566**
XrmQuark, 550, 551
XrmQuarkToString, 551, **552**
XrmSetDatabase, **557**, 665
XrmStringToBindingQuarkList, **553**, 564, 565
XrmStringToQuark, **551**, 552
XrmStringToQuarkList, **552**
XrmUniqueQuark, **550**
XrmValue, **554**, 566
XRootWindow, **22**
XRootWindowOfScreen, **33**
XRotateBuffers, **591**
XRotateWindowProperties, **100**, 101, 329
XSaveContext, **605**, 606
XScreenCount, **23**
XScreenNumberOfScreen, **30**, 31
XScreenOfDisplay, **18**
XScreenResourceString, **555**, 556
XSegment, **223**, 227
XSelectInput, **333**, 334
XSelectionClearEvent, **330**
XSelectionEvent, **331**
XSelectionRequestEvent, **330**
XSendEvent, 328, 331, **346**, 347, 348
XServerVendor, **23**
XSetAccessControl, **286**
XSetAfterFunction, **350**
XSetArcMode, **215**
XSetBackground, **202**, 203, 646
XSetClassHint, **523**, 524, 535
XSetClipMask, **213**, 214
XSetClipOrigin, **212**, 213
XSetClipRectangles, 20, 195, 198, **213**, 214, 215
XSetCloseDownMode, **34**, 35, 544
XSetCommand, **535**, 536
XSetDashes, 195, 198, **205**, 206, 207
XSetErrorHandler, **351**
XSetFillRule, **207**
XSetFillStyle, **207**
XSetFont, **212**
XSetFontPath, 247, **276**
XSetForeground, 187, **202**
XSetFunction, **203**
XSetGraphicsExposures, **216**, 313

XSetICFocus, 441, **460**
XSetIconName, **513**
XSetIconSizes, **530**
XSetICValue, 447
XSetICValues, 448, **462**, 463, 466, 471
XSetIMValue, 447
XSetIMValues, **450**, 454
XSetInputFocus, **374**, 375
XSetIOErrorHandler, **356**
XSetLineAttributes, 187, **204**, 205
XSetLocaleModifiers, **396**, 397, 399, 402, 449
XSetModifierMapping, 320, **392**, 393
XSetNormalHints, **658**, 660
XSetOCValues, **408**, 409, 410, 412
XSetOMValues, **403**
XSetPlaneMask, **203**, 204
XSetPointerMapping, 320, **381**, 382
XSetRegion, 20, 195, **583**
XSetRGBColormap, 662
XSetRGBColormaps, **543**, 544
XSetScreenSaver, **279**, 280
XSetSelectionOwner, 35, **102**, 103, 330, 331
XSetSizeHints, **660**, 661
XSetStandardColormap, **662**, 663
XSetStandardProperties, **656**, 657
XSetState, **201**, 202
XSetStipple, **211**
XSetSubwindowMode, **215**, 216
XSetTextProperty, **508**, 510, 512, 537
XSetTile, **210**, 211
XSetTransientForHint, **525**
XSetTSOrigin, **211**, 212
XSetWindowAttributes, **46**, 74, 75, 327, 333
XSetWindowBackground, **76**, 77
XSetWindowBackgroundPixmap, **76**, 77
XSetWindowBorder, **77**, 78
XSetWindowBorderPixmap, **78**
XSetWindowBorderWidth, **69**, 70, 315, 325
XSetWindowColormap, **78**, 79, 123, 274, 327
XSetWMClientMachine, 533, 535, **537**
XSetWMColormapWindows, **527**, 528
XSetWMHints, **516**, 517, 531, 533, 535
XSetWMIconName, **512**, 513, 535
XSetWMName, **509**, 510, 535
XSetWMNormalHints, **519**, 521, 533, 535, 658
XSetWMProperties, **534**, 535, 656
XSetWMProtocols, **526**
XSetWMSizeHints, **521**, 660
XSetZoomHints, **659**, 660
XShrinkRegion, **584**
XSizeHints, 496, 517, **518**, 520, 521, 522, 582, 657, 660, 661
XStandardColormap, **539**, 541, 542, 543, 544, 656, 661
XStdICCTextStyle, 503
XStoreBuffer, **589**, 590
XStoreBytes, **589**
XStoreColor, 134, **135**, 137
XStoreColors, 134, **135**, 136, 138, 544
XStoreName, **510**, 511
XStoreNamedColor, 118, 134, **139**
XStringListToTextProperty, **506**, 507
XStringStyle, 503
XStringToKeysym, **575**
XSubImage, 596, **597**, 598
XSubtractRegion, **586**
XSupportsLocale, **395**, 396, 397, 503, 505
XSync, 3, 4, 34, **335**
XSynchronize, **350**, 651
XTextExtents, **250**, 252, 254
XTextExtents16, **251**, 252, 254
XTextItem, **255**
XTextItem16, **255**
XTextProperty, **501**, 502, 503, 504, 506, 507, 508, 509, 510, 512, 537
XTextPropertyToStringList, **507**
XTextStyle, 503
XTextWidth, **249**
XTextWidth16, 249, **250**
XTimeCoord, **349**
XTranslateCoordinates, **87**, 88
XUndefineCursor, **79**, 80
XUngrabButton, **364**, 365
XUngrabKey, **369**, 370
XUngrabKeyboard, 35, **367**
XUngrabPointer, 35, 296, 301, **361**
XUngrabServer, 35, **278**
XUninstallColormap, 113, 123, **274**, 275, 327
XUnionRectWithRegion, **585**, 586
XUnionRegion, **585**
XUniqueContext, 606, **607**
XUnloadFont, 244, **246**, 249
XUnlockDisplay, **37**, 38
XUnmapEvent, **321**
XUnmapSubwindows, **63**, 64
XUnmapWindow, **63**
XUnregisterIMInstantiateCallback, 397, 447, **453**
XUnsetICFocus, 441, **460**
Xutf8DrawImageString, **433**, 434
Xutf8DrawString, **431**, 432, 433
Xutf8DrawText, 397, 428, **429**, 430, 431
Xutf8LookupString, 397, 440, 441, 443, 444, 446, **490**, 491, 492, 493
Xutf8PerCharExtents, 422
Xutf8ResetIC, 445, 461, 468, 469, 474
Xutf8SetWMProperties, 397, **531**, 532, 533, 534

XUTF8StringStyle, 501, 503
Xutf8TextEscapement, **423**, 425
Xutf8TextExtents, 397, 422, **424**, 425, 428, 431, 435
Xutf8TextListToTextProperty, 397, **502**, 503
Xutf8TextPerCharExtents, 420, **425**, 427, 428, 431
Xutf8TextPropertyToTextList, 397, **503**, 504, 505, 507
XVaCreateNestedList, 399, 400
XValue, 580, 581
XVaNestedList, 399, 463
XVendorRelease, **23**
XVisibilityEvent, **322**, 323
XVisualIDFromVisual, **44**
XVisualInfo, 43, **591**
XWarpPointer, **373**, 374
XWatchProc, **38**
XwcDrawImageString, **433**, 434
XwcDrawString, **431**, 432
XwcDrawText, 397, 428, **429**, 430, 431
XwcFreeStringList, **505**
XwcLookupString, 397, 440, 441, 443, 444, 446, 449, **490**, 491, 492, 493
XwcPerCharExtents, 422
XwcResetIC, 445, 461, 468, 469, 474
XwcTextEscapement, **423**, 425
XwcTextExtents, 397, 422, **424**, 428, 431, 435
XwcTextItem, **428**
XwcTextListToTextProperty, 397, 501, **502**
XwcTextPerCharExtents, 420, **425**, 427, 428, 431
XwcTextPropertyToTextList, 397, **503**, 504, 505
XWhitePixel, **15**
XWhitePixelOfScreen, **28**
XWidthMMOfScreen, **32**
XWidthOfScreen, **31**
XWindowAttributes, 82, **83**
XWindowChanges, **64**, 66, 500
XWindowEvent, 4, 335, **341**, 342
XWithdrawWindow, **499**, 500
XWMGeometry, **581**, 663
XWMHints, 496, **514**, 516, 517, 531, 534
XWriteBitmapFile, **601**, 602, 603, 604
XXorRegion, **586**
XY format, **693**
XYBitmap, 265, 594
XYPixmap, 265, 266, 267, 268, 594
X_CopyArea, 313
X_CopyPlane, 313
X_HAVE_UTF8_STRING, 423, 425, 428, 431, 433, 435, 461, 493, 501, 503, 505, 534
X_MapWindow, 646

Y

YNegative, 581
YSorted, 213, 214
YValue, 580, 581
YXBanded, 213, 215
YXSorted, 213, 214, 215

Z

Z format, **693**
ZPixmap, 265, 266, 267, 268, 594

_

_XAllocScratch, **652**
_XAllocTemp, **652**, 653
_Xdebug, 350
_XFlushGCCache, 639, **640**
_XFreeTemp, **653**
_XRead, 649, 652
_XRead16, 650
_XRead16Pad, 651
_XRead32, 650
_XReadPad, 651
_XReply, 633, 647, **648**, 649, 652
_XSend, 647, 652
_XSetLastRequestRead, **630**